



Below is a complete list of commands available in the Command Prompt in Windows Vista / Windows 7:

ASSOC	Displays or modifies file extension associations.	GOTO	Directs the Windows command interpreter to a labeled line in a batch program.
ATTRIB	Displays or changes file attributes .	GPRESULT	Displays Group Policy information for machine or user.
BREAK	Sets or clears extended CTRL+C checking.	GRAFTABL	Enables Windows to display an extended character set in graphics mode.
BCDBOOT	Used to copy critical files to the system partition and to create a new system BCD store .	HELP	Provides Help information for Windows commands.
BCDEDIT	Sets properties in boot database to control boot loading.	ICACLS	Display, modify, backup, or restore ACLs for files and directories.
CACLS	Shows or changes access control lists (ACLs) of files	IF	Performs conditional processing in batch programs.
CALL	Calls a batch program from another.	IPCONFIG	Displays all current TCP/IP network configuration values
CD	Shows the name of or changes a current directory .	LABEL	Creates, changes, or deletes the volume label of a disk.
CHCP	Displays or sets the active code page number .	MD	Creates a directory.
CHDIR	Displays the name of or changes the current directory .	MKDIR	Creates a directory.
CHKDSK	Checks a disk and displays a status report.	MKLINK	Creates Symbolic Links and Hard Links
CHKNTFS	Displays or modifies the checking of disk at boot time.	MODE	Configures a system device .
CHOICE	Batch file command that allows users to select from a set of options.	MORE	Displays output one screen at a time.
CIPHER	Displays or alters the encryption of directories [files] on NTFS partitions.	MOVE	Moves one or more files from one directory to another directory.
CLIP	Redirects output of another command to the Windows clipboard.	OPENFILES	Queries, displays, or disconnects open files or files opened by network users.
CLS	Clears the screen.	PATH	Displays or sets a search path for executable files.
CMD	Starts a new instance of the Windows command interpreter.	PAUSE	Suspends processing of a batch file.
CMDKEY	Creates, lists and deletes stored user names and passwords or credentials.	POPD	Restores the previous value of the current directory saved by PUSH.D.
COLOR	Sets the default console colors .	PRINT	Prints a text file.
COMP	Compares the contents of two files or sets of files byte-by-byte	PROMPT	Changes the Windows command prompt.
COMPACT	Displays or alters the compression of files on NTFS partitions.	PUSHD	Saves the current directory then changes it.
CONVERT	Converts FAT volumes to NTFS. You cannot convert the current drive.	RD	Removes a directory.
COPY	Copies one or more files to another location.	RECOVER	Recovers readable information from a bad or defective disk.
DATE	Displays or sets the date.	REN	Designates comments (remarks) in batch files
DEFRAG	Disk defragmenter accessory.	RENAME	Renames a file or files.
DEL	Deletes one or more files.	REPLACE	Replaces files.
DIR	Displays a list of files and subdirectories in a directory	RMDIR	Removes a directory .
DISKCOMP	Compares the contents of two floppy disks.	ROBOCOPY	Advanced utility to copy files and directory trees
DISKCOPY	Copies the contents of one floppy disk to another.	SET	Displays, sets, or removes environment variables for current session.
DISKPART	Displays or configures Disk Partition properties .	SETLOCAL	Begins localization of environment changes in a batch file.
DOSKEY	Edits command lines, recalls Windows commands, and creates macros.	SETX	Sets environment variables .
DRIVERQUERY	Displays current device driver status and properties.	SC	Displays or configures services (background processes).
ECHO	Displays messages, or turns command echoing on or off.	SCHTASKS	Schedules commands and programs to run on a computer.
ENDLOCAL	Ends localization of environment changes in a batch file.	SHIFT	Shifts the position of replaceable parameters in batch files.
ERASE	Deletes one or more files.	SHUTDOWN	Allows proper local or remote shutdown of machine.
EXIT	Quits and closes the command shell.	SORT	Sorts input.
EXPAND	Expands compressed files.	START	Starts a separate window to run a specified program or command.
FC	Compares two files or sets of files, and displays the differences between them.	SUBST	Associates a path with a drive letter.
FIND	Searches for a text string in a file or files.	SYSTEMINFO	Displays machine specific properties and configuration.
FINDSTR	Searches for strings in files.	TAKEOWN	Allows an administrator to take ownership of a file .
FOR	Runs a specified command for each item in a set.	TASKLIST	Displays all currently running tasks including services.
FORFILES	Selects files in a folder for batch processing.	TASKKILL	Kill running process or application.
FORMAT	Formats a disk for use with Windows.	TIME	Displays or sets the system time .
FSUTIL	Displays or configures the file system properties .	TIMEOUT	Pauses the command processor for the specified number of seconds. More here.
FTYPE	Displays or modifies file types used in file extension associations.	TITLE	Sets the window title for a CMD.EXE session.
		TREE	Graphically displays the directory structure of a drive or path.
		TYPE	Displays the contents of a text file.
		VER	Displays the Windows version.
		VERIFY	Tells Windows whether to verify that your files are written correctly to a disk.
		VOL	Displays a disk volume label and serial number.
		VSSADMIN	Volume Shadow Copy Service administration tool
		WHERE	Displays the location of files that match a search pattern.
		XCOPY	Copies files and directory trees.
		WMIC	Displays WMI information inside interactive command shell.